Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"6434259".pn. or "6160903".pn. or "6052468".pn.	USPAT	OR	OFF	2004/02/09 16:01
S2	206	713/172.ccls.	USPAT	OR	OFF	2004/02/09 16:01
S3	0	713/172.ccls. and (key-server)	USPAT	OR	OFF	2004/02/09 16:01
S4	190	713/172.ccls. and (key near2server)	USPAT	OR	OFF	2004/02/09 16:01
S5	14	713/172.ccls. and (key near2 server)	USPAT	OR	OFF	2004/02/09 16:01
S6	12	713/172.ccls. and (key near2 server) and (card)	USPAT	OR	OFF	2004/02/09 16:27
S7	220	713/185.ccls.	USPAT	OR	OFF	2004/02/09 16:27
S8	12	713/185.ccls. and (key$2 near2 server)	USPAT	OR	OFF	2004/02/09 16:27
S9	12	713/185.ccls. and (key$2 near2 server)	USPAT	OR	OFF	2004/02/09 17:19
S10	71	713/200.ccls. and (key$2 near2 server)	USPAT	OR	OFF	2004/02/09 17:10
S11	38	713/200.ccls. and (key$2 near2 server) and card	USPAT	OR	OFF	2004/02/09 17:19
S12	17	713/200.ccls. and (key$2 near2 server) and (card near2 (IC or smart))	USPAT	OR	OFF	2004/02/09 17:20
S13	127	713/201.ccls. and (key$2 near2 server)	USPAT	OR	OFF	2004/02/09 17:41
S14	30	713/201.ccls. and (key$2 near2 server) and (card near2 (IC or smart))	USPAT	OR	OFF	2004/02/09 18:05
S15	30	713/201.ccls. and (key$2 near2 server) and (card near2 (IC or smart))	USPAT	OR	OFF	2004/02/09 18:05
S16	33	713/202.ccls. and (key$2 near2 server)	USPAT	OR	OFF	2004/02/09 18:40
S17	13	713/202.ccls. and (key$2 near2 server) and card	USPAT	OR	OFF	2004/02/09 18:41

S18	97	("6253193" "6292830" "6363488" "6389402" "6427140" "6213391" "6213391" "6035403" "5237614" "6151676" "6332193" "6453416" "5604801" "6038665" "5751813" "5878211" "5289574" "5481612" "5606615" "5613135" "5677953" "5802176" "5884085" "5905914" "5937068" "6038595" "6049796" "6052715" "6061799" "6061799" "6094721" "6119155" "6175922" "6185681" "6272332" "6424718" "6515988" "6550009" "5761309" "5838790" "6141753" "6189096" "6263446" "5475377" "5546463" "5565857" "5778071" "5878142" "5887131" "5920640").pn. ("5995630" "6041410" "6069970" "5987155" "6038666" "6052468" "6088585" "6141436" "6182221" "6484260" "5973731" "6507912" "5819066" "4811872" "5299263" "5406628" "5642303" "5717930" "5771291" "5946469" "5978590" "6067621" "6223166" "6223166" "6230269" "6571221" "5388257" "5900024" "5923756" "6049877" "6076077" "6085241" "6198824" "5412728" "5680605" "5748735" "6072876" "6076167" "6115472" "6128610" "6148404" "6185685" "5247575" "5745904" "5887135" "5937164" "5956728" "6006332" "6085197" "6088799").pn.	USPAT	OR	OFF	2004/02/10 13:41
S19	5	"6253193".pn. "6292830".pn. "6363488".pn. "6389402".pn. "6427140".pn.	USPAT	OR	OFF	2004/02/10 12:40
S20	5	("6253193".pn. "6292830".pn. "6363488".pn. "6389402".pn. "6427140".pn.) and "smart card"	USPAT	OR	OFF	2004/02/10 12:40
S21	62	"key server" and "smart card"	USPAT	OR	OFF	2004/02/10 13:41
S22	10	"key server" same "smart card"	USPAT	OR	OFF	2004/02/10 13:42
S23	306	"key server"	USPAT	OR	OFF	2004/02/10 13:57
S24	1	"key server" and backup.ti.	USPAT	OR	OFF	2004/02/10 13:58
S25	0	"key server" and portabl.ti.	USPAT	OR	OFF	2004/02/10 13:58
S26	1	"key server" and portable.ti.	USPAT	OR	OFF	2004/02/10 15:26
S27	40	"data backup".ti.	USPAT	OR	OFF	2004/02/10 16:54
S28	8	"data backup".ti. and key	USPAT	OR	OFF	2004/02/10 17:00
S29	121	"backup".ti. and key	USPAT	OR	OFF	2004/02/10 17:06
S30	653	lost near2 key	USPAT	OR	OFF	2004/02/10 17:07

S31	165	(lost near2 key) and security and card	USPAT	OR	OFF	2004/02/10 17:07
S32	82	(lost near2 key) and security and card and encrypt$5	USPAT	OR	OFF	2004/02/10 17:07
S33	8	(lost near2 key) and security and card and encrypt$5 and (key near3 server)	USPAT	OR	OFF	2004/02/10 17:07
S34	0	back-up.ti. and "smart card".ti.	USPAT	OR	OFF	2004/02/11 16:01
S35	322	"smart card".ti.	USPAT	OR	OFF	2004/02/11 16:01
S36	435	back-up.ti.	USPAT	OR	OFF	2004/02/11 16:01
S37	25	back-up.ti. and data.ti.	USPAT	OR	OFF	2004/02/11 16:01
S38	0	(back-up.ti. and data.ti.) and "smart card"	USPAT	OR	OFF	2004/02/11 16:01
S39	7	(back-up.ti. and data.ti.) and "card"	USPAT	OR	OFF	2004/02/11 16:02
S40	306	"key server"	USPAT	OR	OFF	2004/02/11 16:03
S41	832	backup.ti.	USPAT	OR	OFF	2004/02/11 16:04
S42	0	backup.ti. and "smart card".ti.	USPAT	OR	OFF	2004/02/11 16:04
S43	40	"data backup".ti.	USPAT	OR	OFF	2004/02/11 16:12
S44	0	"data backup".ti. and "smart card"	USPAT	OR	OFF	2004/02/11 16:04
S45	0	"data backup".ti. and "IC card"	USPAT	OR	OFF	2004/02/11 16:04
S46	0	"60290426".pn.	USPAT	OR	OFF	2004/02/11 16:09
S47	1	"6029046".pn.	USPAT	OR	OFF	2004/02/11 16:09
S48	2	"data backup".ti. and portable.ti.	USPAT	OR	OFF	2004/02/11 16:14
S49	0	"data back-up".ti. and portable.ti.	USPAT	OR	OFF	2004/02/11 16:14
S50	3	"back-up".ti. and portable.ti.	USPAT	OR	OFF	2004/02/11 16:14
S51	9	"backup".ti. and portable.ti.	USPAT	OR	OFF	2004/02/11 16:15
S52	1	"storing data".ti. and "smart card".ti.	USPAT	OR	OFF	2004/02/11 16:16
S53	1436	"data backup" or "data back-up"	USPAT	OR	OFF	2004/02/11 16:17
S54	252	("data backup" or "data back-up") and ("smart card" or "IC card" or "portable")	USPAT	OR	OFF	2004/02/11 16:18
S55	42	("smart card" or "IC card" or "portable") same ("data backup" or "data back-up")	USPAT	OR	OFF	2004/02/11 16:18
S56	42	("smart card" or "IC card" or "portable") same ("data backup" or "data back-up") and ("data backup" or "data back-up")	USPAT	OR	OFF	2004/02/11 16:19

S57	6	("smart card" or "IC card" or "portable") same ("data backup" or "data back-up") and ("data backup" or "data back-up") and (backup or back-up).ti.	USPAT	OR	OFF	2004/02/11 16:23
S58	161185	("smart card" or "IC card" or "portable") amd (backup or back-up).ti.	USPAT	OR	OFF	2004/02/11 16:23
S59	80	("smart card" or "IC card" or "portable") and (backup or back-up).ti.	USPAT	OR	OFF	2004/02/11 16:24
S60	8	("smart card" or "IC card") and (backup or back-up).ti.	USPAT	OR	OFF	2004/02/11 16:37
S61	27	("smart card" or "IC card") and (back$9).ti.	USPAT	OR	OFF	2004/02/11 16:37
S62	1	"6611850".pn.	USPAT	OR	OFF	2004/02/12 12:38
S63	1	"6611850".pn. and (portable or card)	USPAT	OR	OFF	2004/02/12 12:38
S64	7	"5761306".pn. or "6611850".pn. or "6219439".pn. or "5604801". pn. or "6052468".pn. or "6240187".pn. or "6038665".pn.	USPAT	OR	OFF	2004/02/17 16:49
S66	1	"6631469.pn" or "5987613".pn.	USPAT	OR	OFF	2005/02/24 19:54
S67	1	"6631469".pn.	USPAT	OR	OFF	2005/02/25 14:41
S68	26	decrypt with file with (header trailer)	USPAT	OR	OFF	2005/02/25 14:48
S69	1	writ$5 with data$2 with (trailer header) with row with file$2	USPAT	OR	OFF	2005/02/25 14:49
S70	1	writ$5 with data$2 with (trailer header) with row with file$2	USPAT	OR	ON	2005/02/25 14:49
S71	345	writ$5 with data$2 with (trailer header) same file$2	USPAT	OR	ON	2005/02/25 14:49
S72	256	writ$5 with data$2 with (trailer header) with file$2	USPAT	OR	ON	2005/02/25 14:50
S73	12	writ$5 with data$2 with (trailer header) with file$2 and ("reference table")	USPAT	OR	ON	2005/02/25 14:51
S74	0	writ$5 with data$2 with (trailer header) with file$2 and ("digital content")	USPAT	OR	ON	2005/02/25 14:52
S75	3	writ$5 with data$2 with (trailer header) with file$2 and ("digital content")	US-PGPUB; USPAT	OR	ON	2005/02/25 14:52
S76	1	(US-5475377-$).did.	USPAT	OR	OFF	2005/08/17 10:53

S77	12	(smart adj card) same (backup back-up) with (server$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:11
S78	85	(token) same (backup back-up) with (server$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:11
S79	15	(token) same (backup back-up) with (server$2) same (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:12
S80	27	(smart adj card$2) with (key adj (storag$2 server$2))	USPAT	OR	OFF	2006/01/13 19:26
S81	28	(smart adj card$2) with (key adj (storag$2 server$2))	USPAT	OR	ON	2006/01/13 19:26
S82	29	(key$2 adj server$2) with (smart adj card$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 20:03
S83	0	(key$2 adj server$2) with (smart adj card$2) with restor$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 20:04
S84	0	(key$2 adj server$2) with (smart adj card$2) with restor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:04
S85	5	(key$2) with (smart adj card$2) with restor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:06
S86	15	(key$2) with (smart adj card$2) with (backup back-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:19

S87	106	(restor$4) with (server$4) with (security$4 key$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:22
S88	1	(restor$4) with (server$4) with (security$4 key$2) with (token$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:22
S89	1	(restor$4) with (server$4) with (security$4 key$2) with (smart adj card$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:22
S90	350	(server$4) with (security$4 key$2) with (smart adj card$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:29
S91	15	(server$4) with (security$4 key$2) with (smart adj card$2) same (restor$6 (backup$4 back-up$2) replac$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:38
S92	685	(server$4) with (security$4 key$2) with (restor$6 (backup$4 back-up$2) replac$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:38
S93	375	(server$4) with (security$4 key$2) near4 (restor$6 (backup$4 back-up$2) replac$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:38
S94	233	(server$4) with (key$2) near4 (restor$6 (backup$4 back-up$2) replac$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:39

S95	14	(server$4) with (key$2) near4 (restor$6 (backup$4 back-up$2) replac$4) same (portable$4 (smart adj card$2) token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 20:46
S96	1995	file adj system with updat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:25
S97	4	S96 and ((encrypt$4 decrypt$$) with (pointer$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:38
S98	95	((encrypt$4 decrypt$$) with (pointer$4)) and (file with updat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:44
S99	1	((encrypt$4 decrypt$$) with (pointer$4)) and (file with updat$3) same offset$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:41
S100	1	((encrypt$4 decrypt$$) with (pointer$4)) and (file with updat$3) same offset$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:41
S101	111	((encrypt$4 decrypt$$) with (pointer$4)) and (file with updat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:21
S102	58	((encrypt$4 decrypt$$) with (pointer$4) same file) and (file with updat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:46

S103	55	((encrypt$4 decrypt$$) with (pointer$4) same file) and (file with updat$3) and (key with (update$4 version$2 (time adj stamp) time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:47
S104	32	((encrypt$4 decrypt$$) with (pointer$4) same file) and (file with updat$3) and (key with (update$4 version$2 (time adj stamp) time)) not ginter.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:47
S105	24	((encrypt$4 decrypt$$) with (pointer$4) same file) and (file with updat$3) and (key with (update$4 version$2 (time adj stamp))) not ginter.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:14
S106	5093	((encrypt$4 decrypt$$) with (pointer$ location$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:15
S107	23	(key adj information) with stor$2 with (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:26
S108	1	server$2 adj (key adj data) with stor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:27
S109	207	server$2 with (stor$3) near2 (key adj (information$2 data encryption$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:28
S110	43	server$2 with (stor$3) near2 (key adj (information$2 data encryption$2)) and (key-server "key server")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:28

S11 1	3	server$2 with (stor$3) near2 (key adj (information$2 data encryption$2)) and (key-server "key server").ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:29
S11 2	93	(key-server "key server").ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:29
S11 3	93	(key adj server).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:29
S11 4	49	(key adj server).ti. and (encrypt$3 decrypt$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:30
S11 5	0	(key adj server).ti. and (encrypt$3 decrypt$3).ab. and (smart adj card).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:30
S11 6	0	(key adj server).ti. and (encrypt$3 decrypt$3).ab. and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:30
S11 7	0	(key adj server).ti. and (encrypt$3 decrypt$3).ab. and (backup back-up (back adj up)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:30
S11 8	49	(key adj server).ti. and (encrypt$3 decrypt$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:31
S11 9	3	(key adj server).ti. and (encrypt$3 decrypt$3).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/19 12:31
S12 0	4	(key adj server).ti. and (encrypt$3 decrypt$3)	US-PGPUB; USPAT	OR	OFF	2006/01/19 12:33

S12 1	31	(key adj server) with (user adj key)	US-PGPUB; USPAT	OR	OFF	2006/01/19 17:53
S12 2	0	(key adj server) with (user adj key) and "encrypt$."	US-PGPUB; USPAT	OR	OFF	2006/01/19 17:53
S12 3	262	713/172.ccls.	USPAT	OR	OFF	2006/01/19 22:41
S12 4	71	712/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 22:41